

ThreeSide Peptides
 10600 Endeavour Way Suite 3
 Largo, FL 33777



Project 135679
Lab # 132086
Date Rec'd 1/7/2026
Report Issued 1/20/2026

Project**Sample** Semax 10 mg SX102512**Certificate of Analysis**

<u>Analyte</u>	<u>Result</u>	<u>LOQ</u>	<u>Units</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
Peptide Analysis							
Chromatographic purity	>99.95	0.5	%		HPLC-UV/MS	1/14/2026	
Semax	14.9	0.5	mg	149.1	HPLC-UV-MS	1/14/2026	80714-61-0
Semax	ID Confirmed				HPLC-UV-MS	1/14/2026	80714-61-0

The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.
 Methods shown reference current Krause Analytical SOPs
 ND - Not detected LOQ - limit of quantification
 Copyright © 2025 Krause Analytical LLC. All rights reserved.

Respectfully submitted,


Mark C. Krause
 Laboratory Director



krause analytical

Chromatogram

Response_



Mass spectrum/Reference Spectrum

